SIEMENS

SIREMOBIL Iso-C

SP

System Manual

Installation Instructions

Unpacking the Monitor Trolley

© Siemens AG 1998
The reproduction, transmission or use of this document or its contents is not permitted without express written authority. Offenders will be liable for damages. All rights, including rights created by patent grant or registration of a utility model or design, are reserved.

English
Print No.: SPR2-230.031.01.03.02
Doc. Gen. Date: 07.01
Replaces: SPR2-230.031.01.02.02

Document revision level

The document corresponds to the version/revision level effective at the time of system delivery. Revisions to hardcopy documentation are not automatically distributed.

Please contact your local Siemens office to order current revision levels.

Disclaimer

The installation and service of equipment described herein is to be performed by qualified personnel who are employed by Siemens or one of its affiliates or who are otherwise authorized by Siemens or one of its affiliates to provide such services.

Assemblers and other persons who are not employed by or otherwise directly affiliated with or authorized by Siemens or one of its affiliates are directed to contact one of the local offices of Siemens or one of its affiliates before attempting installation or service procedures.



Fig. 1 Required tools

Fig. 2 a Ramp, ser. no. 55 63 783
(included in basic packing materials)



Fig. 3 Remove screws from the
side support blocks

Fig. 4 Follow the same procedure for the
monitor trolley with the 3D PC

Fig. 5 Remove the first support block (right)

Fig. 6 Remove the second support block (left)



Fig. 7 Line up the castors / lock the brakes

Fig. 8 Attach ramp 55 63 783

Fig. 9 Remove screws from the front and rear of the support blocks

Fig. 10 Remove front and rear support blocks

Fig. 11 Unlock all castor brakes / roll unit off pallet

Changes to the previous version.

Page 1	Cover page, revision level changed
Page 2	Fig. 4: Text and image added
Pages 2 and 3	Starting with no. 4, Fig. numbers increased by 1

This page intentionally left blank.